

INDEX

- Abare, 275
Abroma mariae, 253
 — *nitida*, 257
Acanthocephalus, 362
Acanthospermum, 358, 390
Achillea, 359, 367, 381, 390
Acrodiclidium, 338
Acrosynanthus jamaicensis, 101–102
Adenocaulon, 357, 380, 390
Adenostemma, 356, 379
Ageratum, 356, 379
Agyneia berterii, 148, 150
Ainsliaea, 361, 371, 381, 410
Alfredia, 360
Allardia, 359, 381
Alvaradoa lewisii, 102–103
Ambrosia, 358
Anandria, 362
Anaphalis, 357, 366, 380, 390, 410
Andrachne cuneifolia, 208
Anise-tree, 316
Anisopappus, 358
Annona, 313–315
 — sect. *Annona*, 314
 — sect. *Atta*, 314
 — sect. *Phelloxylon*, 314
Annonaceae, 309–311
A-no-kwa, 275
Antennaria, 357, 380, 390
Anthemis, 358, 381
Arctium, 360, 381, 390
Arctogeron, 356
Arctotis, 360
Arnica, 360, 381
 Arnold Arboretum during the Fiscal Year
 Ended June 30, 1958, The. The Director's Report, 494
Artemisia, 359, 367, 381, 390, 410
Asimina, 311–313
Aster, 356, 364, 380, 390, 410
Asterandra, 146
 — *cornifolia*, 146, 151
Asteromoea, 356, 380
Astrothamnus, 356
Astrocasia phyllanthoides, 208
 — *tremula*, 208
Atractylis, 360, 381
Atractylodes, 360
A-wa-ka-de-ro, 275
Awarivacabariyek, 275
Balanostreblus (Moraceae), A Note on
 the Identity of the Genus, 107
Balanostreblus ilicifolius, 107
Barkhausia, 363
Bay, 303
Bee-ay-o, 275
Bellis, 356
Benzoin, 214, 342
Be-se-o-wa, 275
 Bibliography of the Published Writings of
 the Staff and Students July 1, 1957–
 June 30, 1958, 512
Bidens, 358, 380, 390
Bileveillea, 357
Blainvillea, 358, 380
Blumea, 357, 360, 364, 380
Blumeopsis, 357, 380
Bolocephalus, 361
Boltonia, 356, 380
Borbonia, 215
Boscacao, 275
Boschia, 343
Brachanthemum, 359, 381
Brachyactis, 357
Brotobroma, 227
 — *aspera*, 257
Bubby blossom, 323
Buphthalmum, 358
Bur-oo-ma, 275
Butneria, 323
Cacahuillo, 275
Cacahuio, 275
Cacaíta, 275
Cacalia, 360, 369, 381, 390, 410
Cacao cahouai, 275
 — *cahouit*, 275
 — *cahousí*, 275
 — *caimán*, 275
 — *canaludo*, 275
 — *cimarrón*, 275
 — *cuadrado*, 275
 — *de andirá*, 275
 — *de ardilla*, 275
 — *de chimbe*, 275
 — *de cintillas*, 275
 — *de macaco*, 275
 — *de mico*, 275
 — *de monte*, 275
 — *de murcielago*, 275

- Cacao esquinado, 275
 — jacaré, 275
 — maní, 275
 — montarás, 275
 — montaráz, 275
 — quadrado, 276
 — silvestre, 276
 — simarrón, 276
 — symarrón, 276
Cacaoito de monte, 276
Cacaorana, 276
Caca-ú, 276
Cacau de quina, 276
Cacauí, 276
Cacau-jacaré, 276
Cacau-rana, 276
Cahouit, 276
Calendula, 360
Calimeris, 356
Callistemma, 356
Callistephus, 356
Calotis, 356
Calycanthaceae, 322–323
Calycanthus, 323–326
Camchaya, 355, 379
Camphora, 215, 335
 — officinarum, 215
Cancrinia, 359
Canella, 321–322
Canellaceae, 320–321
Carduus, 360, 370, 381, 390
Carpesium, 357, 367, 380, 410
Carthamus, 361, 381
Cassytha, 329, 344–346
Cava, 357
Centaurea, 361, 381, 390
Centipeda, 359, 381
Cephalonoplos, 361, 381
Chaenotheca neopeltandra, 208
Chanekia, 338
Chascotheca neopeltandra, 208
Cha-te-ra, 276
China, Statistics of Compositae in Relation to the Flora of, 347, 379
Chlamydites, 360
Chocolatillo, 276
Chondrilla, 362, 382
Chrysanthemum, 358, 359, 367, 381, 390, 410
Cicca antillana, 208
 — — virens, 208
 — scandens, 208
 — virens, 208
Cicerbita, 362, 382
Cichorium, 362, 381, 390
Cineraria, 359
Cinnamomum, 215, 329, 334–336
Cinnamomum sect. Camphora, 215, 335
 — sect. *Cinnamomum*, 335
 — sect. *Malabathrum*, 335
 — camphora, 215
 — zeylanicum, 215
Cinnamon, 335
Cinnamon-bark, 322
Cirsium, 361, 370, 381, 390
Citation of Some Genera of the Lauraceae, The, 213
Clusia portlandiana, 103
Cnicus, 361
Coccoloba, Studies in the Genus, V. The Genus in Haiti and the Dominican Republic, 1
Coccoloba albicans, 6, 8–9
 — barbadensis, 42
 — barkeri, 19, 21
 — børgesenii, 25, 26
 — — ovato-lanceolata, 26
 — buchii, 7, 9–12
 — ceibensis, 6, 12–13
 — ciferriana, 9, 10
 — costata, 7, 13–15
 — — × *C. uvifera*, 15
 — cubensis, 16
 — diversifolia, 8, 16–17, 42
 — eggersiana, 13, 14
 — fawcettii, 5, 17–18
 — flavescentia, 5, 18–19
 — fuertesii, 5, 19–22
 — fulgens, 34, 35
 — grandifolia, 38
 — helwigii, 13, 14
 — hotteana, 5, 8, 22–23
 — — × *C. uvifera*, 23–24
 — incrassata, 5, 24–25
 — klotzschiana, 31
 — krugii, 7, 8, 25–26
 — — × *C. uvifera*, 26–28
 — laurifolia, 16
 — leoganensis, 5, 28–30
 — leonardii, 6, 31
 — longifolia, 16
 — mansfeldii, 24, 25
 — microstachya, 6, 31–32
 — mornicola, 34, 35
 — nalgensis, 34, 35
 — neurophylla, 34, 35
 — nivea, 46
 — nodosa, 6, 32–34
 — obtusifolia, 31
 — pauciflora, 5, 7, 34–37
 — picardae, 5, 7, 37
 — pubescens, 6, 37–39
 — punctata, 46
 — pungens, 18, 19

- Coccoloba revoluta*, 9
 — *rotundifolia*, 28, 29
 — *rubescens*, 37
 — *rupicola*, 13
 — *samanensis*, 6, 39–40
 — *samuelssonii*, 13, 14
 — *saxicola*, 47
 — *scandens*, 26
 — *scrobiculata*, 47
 — sp., 13
 — *subcordata*, 5, 40–42
 — *subtruncata*, 47
 — *swartzii*, 6, 42–43
 — — *portoricensis*, 42
 — *taylorii*, 19
 — *tortuensis*, 9, 10.
 — *uvifera*, 7, 43–44
 — — *leoganensis*, 28
 — — \times *C. pubescens*, 6, 44–46
 — *venosa*, 4, 46
 — *verruculosa*, 13, 14
 — *wrightii*, 6, 8, 47–48
Coccolobis antiquensis, 38
 — *costata*, 13
 — *pubescens*, 38
Coco del monte, 276
Compositae in Relation to the Flora of China, Statistics of, 347. I. The Tribes of Compositae, 348; II. The Genera of Compositae in China, 355; III. A Comparison of the Compositae of China with Those of Neighboring Countries, 379; IV. A Comparison of the Compositae of China with Those of North America, 387; V. The Reflection of Compositae on the Vegetation of China, 391; VI. The Reflection of Chinese Compositae on the Origin and Routes of Migration of Some Members of the Family, 408
Compositae tribe Anthemideae, 351, 353, 368, 381
 — tribe Arctotieae, 352, 353
 — tribe Astereae, 350, 353, 365, 379
 — tribe Calenduleae, 351, 353
 — tribe Cichorieae, 352, 353, 372, 381
 — tribe Cynareae, 352, 353, 368, 372, 381
 — tribe Eupatorieae, 349, 353, 365, 379
 — tribe Helenieae, 351, 353, 380
 — tribe Heliantheae, 351, 353, 380
 — tribe Inuleae, 350, 353, 365, 368, 380
 — tribe Mutisieae, 352, 353, 372, 381
 — tribe Senecioneae, 351, 353, 368, 381
 — tribe Vernonieae, 349, 353, 365, 379
Conami ovalifolia, 95
 — *portoricensis*, 208
Conyza, 357, 380
Coreopsis, 358
Cosmos, 358, 380
Cotula, 359, 390
Cousinia, 360, 381
Cremanthodium, 360, 370, 381, 410
Crepidiastrixeris, 363
Crepidiastrum, 363, 382
Crepis, 363, 374, 382, 391, 410
Crossostephium, 359, 381
Croton glabellus, 208
 — *lucidus*, 208
Cucumber-tree, 303
Custard-apple, 313
Cyathocline, 356, 379
Cynara, 361
Dahlia, 358
Decaisnea fargesii, 403
Deeringothamnus, 311
Diasperus angustifolius, 193
 — *axillaris*, 159
 — *botryanthus*, 51
 — *cauliflorus*, 157
 — *cladanthus*, 155
 — *discolor*, 71
 — *epiphyllanthus*, 199
 — *erythrinus*, 125
 — *grisebachianus*, 61
 — *latifolius*, 185
 — *mimosoides*, 174
 — *montanus*, 183
 — *myrtilloides*, 126
 — *nummularioides*, 137
 — *nutans*, 56
 — *orbicularis*, 118
 — *ovatus*, 169
 — *portoricensis*, 208
 — *pruinosus*, 71
 — *spathulifolius*, 131
 — *speciosus*, 188
 — *subcarnosus*, 143
 — *williamioides*, 83
Dichrocephala, 356, 379
Dimorphocladium, 111
 — *formosum*, 114
Diphonis bullata, 103–104
Diplopappus, 356
Director's Report, The. The Arnold Arboretum during the Fiscal Year Ended June 30, 1958, 494
Dominican Republic, The Genus in Haiti and the. Studies in the Genus *Coccoloba*, V, 1
Doronicum, 359, 381
Dubyaea, 363
Duhaldea, 357

- Echinops, 360, 370, 381, 390
Eclipta, 358, 380, 390
Ee-so-pe-ke, 276
Elephantopus, 355, 379, 390
Emilia, 359, 381
Enhydra, 358, 380
Epaltes, 357, 380
Epistylium, 153
— sect. *Euepistylium*, 153
— *axillare*, 159
— *cauliflorum*, 157
Erechtites, 359, 390
Erigeron, 357, 364, 380, 390
Erythroxylon subcordatum, 40, 41
Ethulia, 355, 379
Eupatorium, 356, 364, 379, 390
Euptelea pleiosperma, 398
Evax, 357
Exocarpus epiphyllanthus, 199
- Faberia*, 363
False Kauri, 447
Farfugium, 360, 381
Farnesia, 330
Filago, 357, 380
Filifolium, 359
Flueggea virosa, 208
Formania, 359
- Gaillardia*, 358
Galatella, 357, 380
Galinsoga, 358, 380, 390
Gamelle, 39
Geblera, 363
Genera of the Woody Ranales in the Southeastern United States, The, 296
Genesiphylla, 179
— *speciosa*, 188
Gerbera, 361, 362, 371, 381
Giraldia, 360
Glabraria, 343
Glochidion sect. *Hemiphyllanthus*, 163
— *botryanthum*, 51
— *ovatum*, 169
Glossogyne, 358, 380
Gnaphalium, 357, 366, 380, 390, 410
Gorteria, 360
Grangea, 356, 379
GRAY, NETTA E. A Taxonomic Revision of *Podocarpus*, XI. The South Pacific Species of Section *Podocarpus*, Sub-section B, 424
Guaiabara uvifera, 43
— *venosa*, 46
Gynura, 359, 369, 381
- Haiti and the Dominican Republic, The
- Genus in. Studies in the Genus *Coccloba* V, 1
Handelia, 359
Hee-ree-la-na-pee-ta-re, 276
Helenium, 358
Helianthus, 358
Helichrysum, 357, 360, 380
Heliopsis, 358
He-me-ka-ra, 276
Hemistepta, 361, 381
Herrania, A Synopsis of the Genus, 217
Herrania, 227–229
— sect. *Herrania*, 229, 230
— sect. *Subcymbicalyx*, 229, 230
— *albiflora*, 227, 229, 230, 232–236
— — *titanica*, 236
— *aspera*, 257
— *atrorubens*, 257
— *balaënsis*, 231, 236–238
— *breviligulata*, 230, 238–239
— *camargoana*, 231, 239–242
— *cuatrecasana*, 231, 243–244
— *dugandii*, 232, 244–245
— *guianensis*, 274
— *kanukuensis*, 231, 245–247
— *kofanorum*, 231, 247–248
— *laciniifolia*, 230, 248–250
— *lemniscata*, 230, 250–253
— *mariae*, 232, 253–256
— — *putumayonis*, 256–257
— *nitida*, 229, 231, 257–261
— — *aspera*, 258, 270
— — *sphenophylla*, 261–262
— *nycterodendron*, 232, 262–264
— *pacifica*, 267
— *pulcherrima*, 231, 264–267
— — *pacifica*, 267
— *purpurea*, 230, 267–270
— *tomentella*, 228, 232, 270–272
— *umbratica*, 230, 272–274
Heteracea, 362
Heteropappus, 356, 380
Heteroplexis, 357
Hexadema, 179
— *angustifolia*, 193
Hieracium, 363, 375, 382, 391
Hojancha, 39
Holleion, 363, 382
HOWARD, RICHARD A. The Director's Report. The Arnold Arboretum during the Fiscal Year Ended June 30, 1958, 494
HOWARD, RICHARD A. Studies in the Genus *Coccloba*, V. The Genus in Haiti and the Dominican Republic, 1
HOWARD, RICHARD A. and GEORGE R. PROCTOR. New Records of Jamaican Flowering Plants, I, 101

- HU, SHIU-YING. Statistics of Compositae in Relation to the Flora of China, 347, 379
- Hypochoeris*, 362, 382, 390
- Illiciaceae*, 315–316
- Illicium*, 316–318
- sect. *Badiana*, 316
 - sect. *Cymbostemon*, 318
 - sect. *Illicium*, 316–317
- Inula*, 357, 366, 380
- Ixeris*, 363, 375, 382
- Jamaican Flowering Plants, I, New Records of, 101
- JARRETT, FRANCES M. A Note on the Identity of the Genus *Balanostreblus* (Moraceae), 107
- Jo-kee-kee-yo-ke, 276
- Jurinea*, 361, 371, 381, 410
- Kalimeris*, 356, 380
- Koelpinia*, 362, 382
- Ko-kee-ot-chu, 276
- Ku-ra-ta, 276
- Lactuca*, 362, 373, 382, 391, 410
- Lagenophora*, 356, 379
- Laggera*, 357, 380
- Lagoseris*, 362
- Lancewood, 337
- Lapsana*, 362, 382, 390
- Launaea*, 362, 382
- Lauraceae, The Citation of Some Genera of the, 213
- Lauraceae, 326–329
- subfam. *Cassythoideae*, 329
 - subfam. *Lauroideae*, 329
 - tribe *Perseeae*, 329
 - tribe *Litseeae*, 329
- Laurus benzoin*, 214
- *camphora*, 215
 - *cinnamomum*, 215
 - *persea*, 215
 - *sassafras*, 215
- Leibnitzia*, 362
- Leontodon*, 362
- Leontopodium*, 357, 366, 380, 396, 410
- Leucomeris*, 361, 381
- Leuzea*, 361
- Leveillea*, 357
- Licaria*, 329, 338–339
- Lightia*, 227
- *lemniscata*, 250
- Ligularia*, 359, 360, 369, 381, 410
- Lindera*, 215, 329, 342–343
- *benzoin*, 214
- Lindera umbellata*, 215
- Liriodendron*, 302, 306–309
- Litsea*, 329, 343–344
- Lomanthes*, 179
- *latifolia*, 185
- Love-vine*, 345
- Magnolia*, 302–306
- sect. *Magnolia*, 303
 - sect. *Magnoliastrum*, 303
 - sect. *Rytidospermum*, 303
 - sect. *Theorhodon*, 303
 - sect. *Tulipastrum*, 304
 - subg. *Magnolia*, 303
 - subg. *Pleurochasma*, 304
- Magnoliaceae*, 299–302
- Maipoilie doron doron*, 276
- Maivisse*, 16
- Malapoenna*, 343
- Ma-mi-ree, 276
- Margaritaria bahamensis*, 208
- *hotteana*, 208
 - *nobilis*, 208
 - *scandens*, 208
 - *tetracocca*, 208
- Maripoele kakaoeleo*, 276
- Martinia*, 356
- Matayaka*, 276
- Matricaria*, 359, 381, 390
- Mazzettia*, 361
- Microglossa*, 357, 380
- Mikania*, 356, 379, 390
- Misanteca*, 338
- Mi-to-ro-re, 276
- Monographic Study of the West Indian Species of *Phyllanthus*, A, 49, 111
- Mulgedium*, 362
- Mu-se-ge-ke, 276
- Mu-se-na, 276
- Mycelis*, 362
- Myriactis*, 356, 379
- Myrica esquirolii*, 460
- *jamaicensis*, 104
- Myriogyne*, 359
- Myripnois*, 361
- Nageia drouyniana*, 444
- *elata*, 437
 - *spinulosa*, 443
- Nannoglottis*, 359
- Nardosmia*, 359, 381
- Nectandra*, 329, 336–338
- New Guinea, A New Species of *Phaleria* (Thymelaeaceae) from, 420
- New Records of Jamaican Flowering Plants, I, 101

- New Species of *Phaleria* (Thymelaeaceae) from New Guinea, A, 420
- Note on the Identity of the Genus *Balanostreblus* (Moraceae), A, 107
- Nouelia*, 361
- Olgaea*, 360
- Omphalea axillaris*, 153, 159
- *cauliflora*, 157
 - *epistylium*, 159
- Onopordon*, 360
- Ontogeny of the Sporangia in *Xiphopteris serrulata* and *Pyrrosia nuda*, 478
- Orbicularia*, 111
- *foveolata*, 125, 126
 - *orbicularis*, 118
 - *phyllanthoides*, 111, 118
 - *scopulorum*, 135
- O-so-peo-ko*, 276
- Ostryopsis davidiana*, 398
- O-yaw-peo-ka-ye*, 276
- Palo de chimbe*, 276
- Palo de murciélagos*, 276
- Pan y cacao*, 276
- Papelite*, 10
- Parasenecio*, 360
- Parthenium*, 358, 380, 390
- Pawpaw*, 311
- PERRY, LILY M. A New Species of *Phaleria* (Thymelaeaceae) from New Guinea, 420
- Persea*, 215, 329, 330–334
- *americana*, 215
 - *gratissima*, 215
- Pertya*, 361, 371, 381
- Petasites*, 359, 381, 390
- Phagnalon*, 357, 380
- Phaleria* (Thymelaeaceae) from New Guinea, A New Species of, 420
- Phaleria elegans*, 422
- Phialanthus myrtilloides*, 104–105
- Phyllanthus, A Monographic Study of the West Indian Species of, 49, 111
- Phyllanthus sect. *Anisonema*, 207
- sect. *Apolepis*, 207
 - sect. *Aporosella*, 206
 - sect. *Asterandra*, 68, 146
 - sect. *Catastylium*, 153
 - sect. *Cyclanthera*, 206
 - sect. *Dimorphocladium*, 111
 - sect. *Elutanthos*, 50, 206
 - sect. *Emblica*, 206, 207
 - sect. *Epistylium*, 68, 153–154, 206
 - sect. *Eriococcus*, 207
 - sect. *Floribundi*, 206
 - sect. *Glyptothamnus*, 68, 160–161
- Phyllanthus sect. *Hemiphyllanthus*, 69, 163–164, 207
- sect. *Loxopodium*, 206
 - sect. *Nothoclema*, 207
 - sect. *Omphacodes*, 68, 142–143, 207
 - sect. *Orbicularia*, 68, 111–113
 - sect. *Phyllanthus*, 206
 - sect. *Thamnocharis*, 69, 91
 - sect. *Typophyllanthus*, 179
 - sect. *Williamia*, 68, 69–70, 71
 - sect. *Williamiandra*, 82
 - sect. *Xylophylla*, 69, 179–182, 207
 - subg. *Botryanthus*, 49–50
 - subg. *Cicca*, 206, 207
 - subg. *Phyllanthus*, 207
 - subg. *Xylophylla*, 66–68, 207
 - subsect. *Discolores*, 70, 71
 - subsect. *Genesiphylla*, 179
 - subsect. *Incrustati*, 70, 82–83
 - subsect. *Mirifici*, 71, 89
 - subsect. *Pentaphylli*, 206
 - *acaciooides*, 165, 177–179
 - *americana* . . . *proferens*, 198
 - *anderssonii*, 51, 53–55
 - *angustifolius*, 182, 193–195
 - *genuinus*, 193
 - *antillanus*, 208
 - *apiculatus*, 133, 134
 - *arbuscula*, 182, 188–192
 - *axillaris*, 153, 154, 159–160
 - *bahamensis*, 208
 - *baracoensis*, 134
 - *barbadensis*, 53, 55
 - *botryanthus*, 51–53
 - *breviramis*, 139, 140
 - *brittonii*, 95
 - *cardiophyllus*, 125
 - *cauliflorus*, 154, 155, 157–159
 - *chamaecristoides*, 113, 132–133
 - — *baracoensis*, 133, 134–135
 - — *chamaecristoides*, 133–134
 - *chrysanthus*, 68, 161–163
 - *cinctus*, 91, 93, 95–97
 - *cladanthus*, 154, 155–156
 - *coelophyllus*, 134, 135
 - *cognatus*, 193, 194
 - *comosus*, 113, 116–118
 - *comptus*, 93–95
 - *cornifolius*, 151
 - *coxianus*, 189, 190
 - *cristalensis*, 70, 82
 - *cuneifolius*, 208
 - *decander*, 71, 73
 - *dimorphus*, 206
 - *dingleri*, 189
 - *discolor*, 69, 70, 71–79
 - — *pallidus*, 75

Phyllanthus *discolor* × *comptus*, 75
 — *ekmanii*, 93, 97–100
 — *epiphyllanthus*, 180, 182, 197–198, 199
 — — *dilatatus*, 203–205
 — — *domingensis*, 202–203
 — — *epiphyllanthus*, 198–202
 — — *genuinus*, 199, 202, 203
 — *epistylium*, 159
 — *erythrinus*, 125
 — *estrellensis*, 139, 140
 — *euwensii*, 51, 52
 — *excisus*, 71, 85–87
 — *falcatus*, 199
 — *foliis . . . floriferis*, 199
 — *foliis latioribus*, 185
 — *foliis . . . longioribus*, 193
 — *formosus*, 113, 114–116
 — *foveolatus*, 125
 — *glabellus*, 208
 — *glaucescens*, 50
 — *grandifolius*, 50, 146, 169
 — — *cornifolius*, 151
 — — *genuinus*, 148, 151
 — — *salzmanni*, 151
 — *grisebachianus*, 61
 — *hotteanus*, 208
 — *inaequaliflorus*, 189, 190, 191
 — *incrustatus*, 71, 87–88
 — *isolepis*, 185, 188
 — *juglandifolius*, 146–148
 — — *cornifolius*, 146, 148, 151–153
 — — *juglandifolius*, 148–151
 — *latifolius*, 182, 185–188
 — *laurifolius*, 208
 — *leonis*, 143
 — *linearis*, 188, 195
 — — *cognatus*, 193
 — — *genuinus*, 188
 — *maleolens*, 164, 165–167
 — *megapodus*, 165, 171–174
 — *melanodiscus*, 125
 — *microdictyus*, 70, 80–81
 — *mimosoides*, 165, 174–177
 — — *macrophyllus*, 171
 — *mirificus*, 71, 89–91
 — *montanus*, 182, 183–185
 — *myriophyllus*, 164, 168–169
 — *myrtilloides*, 113, 123–124, 126
 — — *alainii*, 124, 129–130
 — — *erythrinus*, 124, 125–126
 — — *myrtilloides*, 124, 126–127
 — — *shaferi*, 124, 130–131
 — — *spathulifolius*, 125, 131–132
 — *neopeltandrus*, 208
 — *nobilis*, 208
 — *norlindii*, 140
 — *nummularioides*, 113, 137–139

Phyllanthus *nutans*, 51, 56–57
 — — *grisebachianus*, 61–62
 — — *nutans*, 57–61
 — — *purdiaeana*, 57, 58
 — — *trojanus*, 57, 58
 — *orbicularis*, 111, 113, 118–122
 — — *ellipticus*, 118
 — — *genuinus*, 118
 — — *ovatus*, 118
 — — *pachystylus*, 51, 62–65
 — × *pallidus*, 75
 — *phlebocarpus*, 114, 139–142
 — *portoricensis*, 208
 — *proctoris*, 182, 195–197
 — *pruinosus*, 71, 73
 — *pubigerus*, 208
 — *purpureus*, 125
 — *quinquefidus*, 148
 — *rotundifolius*, 118, 119
 — *sagraeanus*, 75
 — *scandens*, 208
 — *scopulorum*, 113, 135–137
 — *shaferi*, 130
 — *spathulifolius*, 131
 — *speciosus*, 188, 191
 — *subcarnosus*, 142, 143–146
 — *swartzii*, 189, 190
 — *tremulus*, 208
 — *urbanianus*, 51, 65–66
 — *virens*, 208
 — *williamioides*, 70, 83–85
 — *xylophylla*, 179
Picris, 362, 382, 391
Pityothamnus, 311
Pluchea, 357, 380
Podocarpus, A Taxonomic Revision of, XI.
 The South Pacific Species of Section
 Podocarpus, Subsection B, 424
Podocarpus acicularis, 437
 — *affinis*, 428, 445–446
 — *annamiensis*, 428, 451–452
 — *archboldii*, 428, 452–453
 — — *crassiramosus*, 428, 453–454
 — *bidwillii*, 443
 — *bracteata*, 461
 — *brassii*, 427, 440
 — *brevifolius*, 427, 441–442
 — *brownii*, 444
 — *celebica*, 459
 — *chinensis*, 472, 475
 — *costalis*, 428, 456–457, 459
 — *deflexus*, 428, 450–451
 — *discolor*, 461
 — *dispermus*, 428, 448–449
 — *drouynianus*, 427, 444–445
 — *elatus*, 426, 427, 436–439